



## DESCRIPTION

The Compact-a-Pad is a portable semi automatic Labeller. It is designed to apply one or two labels to flat/oval shaped containers. It is economically priced, industrially built and provides unparalleled productivity without compromising quality. Built for ease of use and long term reliability the Compact-a-Pad is as tough as it looks, made from Stainless Steel and Aluminum. It is very simple to operate and set up and unlike other semi automatic labellers it rewinds the backing paper as you work – removing potential fire and safety hazards. All die cut labels, whether they are clear or opaque, are able to be applied by the Compact-a-Pad.



## EXAMPLE APPLICATIONS



- Plastic, Glass or Steel Containers
- Cosmetic Jars – Top & Bottom (alternately printed) or one label only
- Trigger Packs – One (Front or Back) or Two Labels (Front & Back - alternately printed)
- Flat/Oval Bottles – One (Front or Back) or Two Labels (Front & Back - alternately printed)
- Square Bottles – One (Front or Back) or Two Labels (Front & Back - alternately printed)

**Compact Labelling Systems Pty., Ltd.**  
Unit 14b, 8 Gladstone Road, Castle Hill 2154 NSW  
Tel: +61-2-9899-2144 Fax: + 61-2-9899-2150  
[www.compactlabelling.com.au](http://www.compactlabelling.com.au)



## PROCESS

As "semi automatic" implies, an operator simply places a tube on the machine's Tube Mandrill, presses the foot switch and the Compact-a-Tube does the rest. When labelling is complete, the tube stops rotating and the pneumatically operated Mandrill arm retracts. The operator removes the perfectly labelled product and repeats the cycle.



## Specifications

Foot Print Dim'      W330 x L600  
Overall Dim'         W360 x L720 x H500 - 35kg  
Power Requirements 240V  
Gross Crate Dim'    W430 x L780 x H430 - 50Kg

## Capacity

Max' Roll Diameter 300mm - 76 Core  
Product Diameter    Min' 25mm - Max' 150mm\*  
Label Height         Max' 180mm  
Label Length        Min 15mm - ~150mm\*  
Throughput          up 20 per minute\*\*

**Compact Labelling Systems Pty., Ltd.**  
Unit 14b, 8 Gladstone Road, Castle Hill 2154 NSW  
Tel: +61-2-9899-2144    Fax: + 61-2-9899-2150  
[www.compactlabelling.com.au](http://www.compactlabelling.com.au)



## FEATURE LIST

- Label Waste removal – incorporating a backing paper take up roller, all the waste is accumulated in a tidy roll for easy disposal – no fire or slip hazard in the vicinity of the operators feet like similar machines
- Easy to set up – within a couple of minutes a new job can be set up and running, increasing productivity immediately
- Simple to operate – almost no skill or training is required to obtain an excellent result
- Robust, heavy duty construction – the machine is designed for years of trouble free and maintenance free productivity. No lubrication or awkward adjustments are required.
- Fully Adjustable – Tool-less adjustment accommodating a wide range of different container sizes
- Stainless Steel Work Benches – fixed or on casters, supplied flat packed ready to assemble - Dimensions from: 600(L) x 600(W) x 900(H)
- Printer output – For the activation of an external Thermal Printer – for printing; Use By; Batch Codes or Barcodes - preferred printer for this device is the DATAMAX I-Class.

**Compact Labelling Systems Pty., Ltd.**  
Unit 14b, 8 Gladstone Road, Castle Hill 2154 NSW  
Tel: +61-2-9899-2144 Fax: + 61-2-9899-2150  
[www.compactlabelling.com.au](http://www.compactlabelling.com.au)